Clearing Browser Cache



Table of Contents

Clearing Browser Cache	1
Google Chrome	
Version 27 and 35	
Internet Explorer	
Version 10 and 11	
Firefox	
Version 20	



Clearing Browser Cache



In this module you will learn how to refresh your browser's cache. Clearing or refreshing your cache is important. Your browser has a folder in which certain items that have been downloaded are stored for future use. Graphic images (such as buttons and icons), photo's, and even entire web pages are examples of items which are saved or cached. When visiting a webpage your browser checks if a copy of the files on the page is in its cache already. If so, it will save the visitor some downloading and make webpages load faster. Some browsers refer to it's cach as Temporary Internet Files

Google Chrome


Detailed instructions to completely clear the cache for Chrome 27 and 35.

Version 27 and 35

Procedure


In this topic you will learn the following:

- How to clear your browser cache in Google Chrome





Step	Action
1.	Begin by opening a browser page for Google Chrome.



Step	Action
2.	Click in the three dashes in the top right corner of the browser.
	=



C ■ https://www.google.com/webhp?bi=/c5/LVPac/LCDQ/C5/BBB/0/y=-28mt-3 C C C Part 16 C C C	Google •				0.0	-
Google Search Gat Carl Carl Pace See page st Carl Carl Carl Carl Fact. Carl Carl Carl Carl Zoom - 31974 S2 Google Search To freeing Lastyr Geogree Conner More Icols - More Icols - East Carl	 — — —	e==ustterant==oug-usysneoogy==289138]	New window New incognito window Bookmarks			Ctri+T Ctri+N hitt+N
See page st., Find, Find, Courted Tools Courted Cou			Relaunch Orrome in Wind	ows 8 mod		
Zoom - 110% 12 History Chi+H Google family Nething Lasky About Google Chonne - About Google Chonne - Note tools - Exit Chi+Shth+O			Edit	Cut	Сору	Paste
Zoom - 110% 12 History Chi-H Goople family Nething Lacky Goople family Nething Lacky About Goople Chonne - Rep - More bools - Ext Chi-Shith-Q		Google	Find.,			C01+F
Groupe Search The Treeting Lastry Downtowads Curli-J Groupe Search Marce Search Marce Search Marce Search More Search Exter Cont-Search Exter Cont-Search		•	Zoom	- 1	10% +	12
Sentros Acousticados de Oronne Heip • Mere tools • Eter Coli-Soin+O		Goode Search Pro Facility Larks				C 20 C 2 A
Herp * More tools * Exit Col+-Shith=O						
More tools Dot: Ont-Som = 0						
Bet : Col-Ster-G						
						hit+0
Advertising Business About Privacy Terins Settings						

Step	Action
3.	Click Settings.

C D throme://wetings O D throme://wetings Settings Setings Settings Setting Settings Settings Seti	Google	*/ Ø Settings *		III - • ×
Spin Spin Service Subject Rough Second to any provide stations for the station and stations for the static Statistic Statisti				\$ € ≣
Type in Sign in				-
<pre>series is for the longitude former three may use granulated former three makes in the and and is granulated former three makes in the and is not three makes in three</pre>	hrome	Settings	Search sattlege	
any are any ar	la deser y	Sign in		
Surgin workers (Sectional Sectional Section	Attenuiques			
end	Settings		matically signed in to your fewerite	
The stand of the second of the				
	deut.	Sign in th Orenne		
Contrace schere you det all Conservation genes er set dages. Entrages Appearable Defende the memo Defende		Ovi startup		
C Open specify regres on and pages. Lengages Appenence Termine		Open the New Tab page		
Apparates Test there is not to their neuron Test there is not to their neuron Test there is not to the neuron Test the neuron neuron is not be prefixee and Test the neuron		Ontinue share you left off		
Set therease Image: The first of the statust the set of		Open a specific page or set of pages. Set pages		
Deter forms fortune Anotype to use the bootshows to as Search S		Appearance		
A sharp these the boothwards have Search A set is have the oppose it and a share associating from the gambles A set is have the oppose it and a share association game. Proper Define the oppose it and a share association game. Define the oppose it and a share association game. Define the oppose it and a share association game. Define the oppose it and a share association game. Define the oppose it and a share association game. Define the oppose it and a share association game. Define the oppose it and share its mainter game. Define the oppose its mainter game. Define the oppose its mainter the oppose its mainter game. Define the oppose its mainter game. Define the oppose its mainter the oppose its mainter game. Define the oppose its mainter the oppose its mainter game. Define the oppose its mainte		Cet therees I I have to default theme		
Search for strich another searching from the gambles Temple* Propie Propie Propie Profit Searching Profit		Distance Institut		
for strick harder stranger is start due strangering. Strange water trangering. Propie Strange matter trangering. Device framework framework Device framework framework framework Device framework framework		Always show the bookmarks har		
for strick harder stranger is start due strangering. Strange water trangering. Propie Strange matter trangering. Device framework framework Device framework framework framework Device framework framework		for the second		
Surget Manage ment surgets: Proper Image ment surgets: Image ment surgets: Image ment surgets: Image ment surgets: Image ments surgets: Image ment surgets: Image ments surget surgets:				
Propie Provide Control Internet Provide Control Internet Provide Control Internet Internet Provide Control Internet. Inter				
Forman T Learning				
Advance from the party reasonge Advance. In the party reasonge Advance. In the party reasonge Advance. In the party reasonge Parture Horsewer Main Compt Channes the advance timesen		People		
Looks are mains from the performance [And press.] [Import Mainsels and antings.] Perford Intervent [And press.] [Import Source of the soluted Insource of		Person 1 (corrent)		
Add person. Import Individual and antique. Default Invesser Maint Souge Onese He adduit Invester		R Stable Gaest browing		
Add person. Import Individual and antique. Default Invesser Maint Souge Onese He adduit Invester		2 Enable user creation from the profile manager		
Male Google Chrome the default timester			treps-	
Male Google Chrome the default timester		Default browser		



Step	Action
4.	Click the History link.

Google	*/ 0 H	istory *	III - 0 ×			
+ + C D +	rome.//history		\$ 6 ≣			
Chrome	History	Search hostory	×			
Hatary						
Emmines	Cear browsin	g data				
Settings	Today - Monday, February 9, 2015					
	0 221 PM	Google was groups care. (c)				
Alext	D 231 PM	🚦 https://www.gaogla.com/_/christie/inextabile=05/TVRacC405y25gBBoderge=228yx=2_www.google.com/				
	2.51 M	🛃 http://www.google.com/accounts/logov/27Niventation/fablov/taintee/32Cgrandcentralvoor.google.com 🔅				
	E 2317M	🗋 Google Accounts accounts provides com 🖂				
	E 2017M	🛢 https://www.madda.org/en-US/Refus/tew/Monetaal-% successibility 🖂				
	0 220 M	Constitued Freebox Free Web Browner Mapilla consciousilitating				
	E 2217M	🗋 https://www.google.com/u/Dis.vtliente/dige.linesce.slipmeters-weblicite.Minede/KOK				
	21976	🛐 firefox - Goople Search: www.goople.com 👘				
	10 213 PM	🚺 Google soon gangle com. 🛞				
	0.217PM	Comercia and a second and a sec				
	217.96	Cheante www.google.com				
	⊟21794	🗈 https://www.google.com/arthantdotts/day-disects/disectore/webdicits/20xed=RCIV				
	() 201 PM	📕 The Berliner Group Chology, Woold Additional Servicesgroup.com 🔅				
	I LUTIN	💽 Weisser (Linkells unschledelsame 🛞				
	E 107.PM	🔁 AOL Mail Simple, Free, Fuer ing commission and com				
	11774	ACL Mail Simple, Free, Fun reporterent atticant				
	CE LUI PM	🗅 http://webmatinetheginghesizet/Jaik-maldijaethinishevidijaid=3406jmbii initimatinetheginghesizet 🛞				
	1117 M	🔷 hute Graphics Webmail is lebox: webmail/acchegraphics.net. 🔅				
	11176	Q Inche Graphics Webmail is Indexe antimation: Improprietation: 1				
	CONTRACTOR OF STREET,	🛱 AQL Madi Simple, Free, Fun my admensional com 🔅				
	E 1075	🗭 ACL Mail Simple, Free, Fuel repairmentant cont 🔡				
	1017M	🔕 linche Graphica Webmeit i lettere wehrmallinchegraphica.net. 😳				
	EE 101PM	- IT Consulting, Product Engineering (Automotive Manufacturing, Energy Utilities annalysiscen 19	*			

Step	Action
5.	Click the Clear browsing data button.
	Clear browsing data




Google	Ø Settings - Clear bron +		Rate ×
	brome//settings/dearli/owserData		수 한 표
	A second production of the latter way and		
	A here which a second second		
	2 1 m	Clear browsing data	
	C Designation of the surface	Oblivate the following items from the terpinong of time .	
	and the second state of th	Repeating history	
	A Service The Intel Section of Section 1.	Download hotory	
	Constraints to proper at surface and	Cockies and other alts and plup in data	
		Cached images and files	
	A loss beaution to be set to be	2 Inperty	
	A Contraction management	August from outs	
	And and a second second		
	Same 199	Cour interrup data Canad	
		Saved spetient settings and samble engines will not be closed and may reflect your	
	There is a real second second	According halots,	
	A Cartonic particulation		

Step	Action
6.	From this screen, you can choose to clear Browsing data, Cookies, Download History, cached images and files, and more.

Image: Section of the section of th	E Google	* Ø Settings - Clear brov *	lan (🔤 - 🗆 🗙
				0.8.5
Program Program <td< td=""><td></td><td>sensenez/artungty-ceararowsert/ata</td><td></td><td>741 (Z) =</td></td<>		sensenez/artungty-ceararowsert/ata		741 (Z) =
State State St				
Version description descrip				
Care Lorenza gatas Care Lorenza Care Lorenza Gatas Care Lorenza Care				
Implementation Imple		at the second second second	Clear browsing data	
Image:			Post! Incognite mode (Ctrl+Shift+NI may come in handy next time.	
A manufacture		A Party and a second party of the second	Party of the second s	
Image: Section of the sec				
		of the second second second	· uninequeury	
Contra and and the data sends Contra and the data s			Countral history	
Constructions and and an			Cookies and other she and plut	
			Carthed images and files	
Prevention shall a constrain the shall a constraint of the shall a co			C Ressords	
A final is called in a data for data for a data for a data for a data fo			🗇 Autolit form data	
A Control with a control or an and a control or and a contro			Hotted spis data	
Cife to and size of parameter Cime to any other paramete		at the second second second second	Content licenses	
Maximum		A 1994 10 10 10 10 10 10 10 10 10	2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	
Notice::::::::::::::::::::::::::::::::::::			Learn more Clear browsing data Cancel	
Paparan Annual Annua			and the second second second	
Paper and the second se				
			Intering fully/s	
And and a set of the s		and the second se		




Step	Action
7.	Click the beginning of time list item.
	the beginning of time.




Step	Action
8.	Click the Clear browsing data button.
	Clear browsing data





Step	Action
9.	Once completed, Google will return you to the settings landing page.





Step	Action
10.	In this topic you have learned the following:
	- How to clear your browser cache in Google Chrome End of Procedure.

Internet Explorer


Detailed instructions to completely clear the cache for Internet Explorer 10 and 11.

Version 10 and 11

Procedure

In this topic you will learn the following:

- How to clear your browser cache in IE




Step	Action
1.	Begin by opening an Internet Explorer webpage.




Image: Source to the second			ž Š
	+You Gmail Images		Sign in
Google			
Google Baarch I'm Feeling Lucky Safer Internet Day: Read tips to help you stay safe and secure online			
Advertising Business About	Privacy	Terms	Settings

Step	Action
2.	Click the Tools button.






Step	Action
3.	Click the Safety menu.
	Safety •




Step	Action
4.	Click the Delete browsing history menu.






Step	Action
5.	Check the boxes next to the data to remove.





Step	Action
б.	Click the Delete button.
	Delete



Step	Action
7.	Once completed, a notification will appear at the bottom informing you that IE has
	finished deleting the selected browsing history.



S https://www.go ★ @Convert ▼ BSelect	o , ⊅ → 🚔 🖒 😵 Google 🛛 ×		- □ × ☆☆
S		+You Gmail Images	III Sign in
	Google		
	Google Search I'm Feeling Lusky Safer Internet Day: Read tips to help you stay safe and secure online		
Advertising	rer has finished deleting the selected browsing history.	,	ms Settings

Step	Action
8.	In this topic you have learned the following:
	- How to clear your browser cache in IE End of Procedure.

Firefox

Detailed instructions to completely clear the cache for Mozilla Firefox

Version 20

Procedure


In this topic you will learn the following:

- How to clear the browser cache for Mozilla Firefox



/ 📵 Mozilla Firefox Start Page	* +									- 6	×
E O Finitian Search or enter add	(frets				- C 0	l, Search		\$	0	4 1	=
	c	Cor	future of the Web.	is at stake. The	U.S. Federal Comm gat around the co	Search surications met. Sign our				me	ozilla
Downloads	tooimats	() History	Add-ons	0	Options	۲	Restore Pre	evious Se		e What I S	
Pretox automatically sends som	se data to Mozilia	so that we can a	improve your expen	ence.					(Licos	e what i s	Heat N

Step	Action
1.	Click the Three Dashes button to the right of the browser.
	\equiv





Step	Action
2.	Click the Options button.

Contract ender and the contract in the data for offline use.	Options Implications	Option Green Table Revolution Application Finds space Green Table States and Loger Data States Table States and Loger Data Table Sta	Options Image: Control of Contr	Mozilla Firefox Start Page H	+					- 6	×
Options Image: Control of the second sec	Options Image: Control of the serie o	Options Options Image: Section in the section in the section is the section is control using 1.4 Mill of data gase Image: Section is is control using 1.4 Mill of data gase Image: Section is is control using 1.4 Mill of data gase Image: Section is is control using 1.4 Mill of data gase Image: Section is is control using 1.4 Mill of data gase Image: Section is is control using 1.4 Mill of data gase Image: Section is is control using 1.4 Mill of data gase Image: Section is image: Section is is control using 1.4 Mill of data gase Image: Section is is control using 1.4 Mill of data gase Image: Section is image: Section	Options State General Tara Same Central Applications File Same Same Same General Data Colores Total Colores Central Applications File Same Same Same General Data Colores Total Colores Central Applications File Same Same Same Configure how Fileface connects to the Internet Satisface General Colores General Colores General Colores Configure how Fileface connects to the Internet Satisface General Colores General Colores General Colores Configure how Fileface connects to the Internet Satisface General Colores General Colores Configure how Fileface content in correctly using 14 MB of disk space General Colores General Colores Unit cacher Solo MB of disk space General Colores Unit cacher Solo MB of disk space General Colores With application cacher in correctly using 10 Dytes of disk space General Colores General Colores With an endent a webline axis to infore data for offline use General Colores General Colores	O Firefur Search or enter address		= C Q	Search		☆ @	4 1	=
Image: Section Content: And the Specie: Section Content and the Specie: Specie: Section Content and the Specie:	Image: Second Web Content Image:	Image: Second	General Tais Same Content Applications Nivery Security Spec Applications General Data Content Applications Nivery Security Spec Applications Content Data Content Applications Nivery Security Spec Applications Content Data Content Applications Security Spec Applications Content and Instance Content and Instance Security Security </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>m</td> <td>ozilla</td>							m	ozilla
Concert Replication Name Security Sec Advice	General Tatis Sector Content Application Privaty Security Sec Advanced General Tatis Sector Content Application Privaty Security Sec Advanced General Tatis Sector Content Application Privaty Security Sec Advanced General Tatis Sector Content Application Privaty Security Sec Advanced General Tatis Sector Content Contents General Tatis Sector Content Contents General Tatis Sector Content Contents General Tatis Sector Contents	General Table South Content Agolization Privat South Sort Advanced General Data Choices Methods Update Centificates Setting Content Mode Content Setting Totar web content cache is connently using 14 MB of disk space Dear Noor Dentication cache is connently using 14 MB of disk space Dear Noor Dentication cache is connently using 0 bytes of disk space Dear Noor Totar website address connently using 0 bytes of disk space Dear Noor Office Web Content addres totare disk to store disk for offline use Dear Noor Dear Information cache is connently using 0 bytes of disk space Dear Noor Totar website aaks to store data for offline use Dear Noor Dear Information cache is connently using 0 bytes of disk space Dear Noor Totar website aaks to store data for offline use Dear Noor Dear Noor Dear Noor Dear Noor	General Tata: Saarch Content: Applications: New Security Sync Advanced General Data Choices Minoch Lipidate Centre Settings. Connection Configure how Finefox connects to the Internet Settings. Cached Web Content Settings. Your web content cache is currently using 14 MB of disk space Oner Now Denvice automatic cache management. Jimit cache to 3005 Mile of disk space Othore Web Content cache management. Jimit cache is currently using 0 bytes of disk space Ceard giow Officer web Content cache management. Jimit cache is currently using 0 bytes of disk space Ceard giow Mine web Content cache management. Jimit cache is currently using 0 bytes of disk space Ceard giow Mine web Content cache management. Jimit cache is currently using 0 bytes of disk space Ceard giow Mine web Content cache management. The when a webbites are allowed to store data for offline use Exceptions		Option			×			
Image: Section Consection Conduct two Freduc connects to the Internet: Candred Web Content Candred Web Content Channel Web Content Demote automatic code management Demote Ball on Content and Uber Data Tore splicition code: to content and Uber Data Other Web Content and Uber Data Tore splicition code: to content and Uber Data Tore splicition code: to content and Uber Data Demote website: and to store data for offline use Demote:	Image: Section Content Image: Section Content Consection Image: Section Content Control Web Content Image: Section Content Control Web Content Image: Section Content Description Image: Section Content Toor septication cache is currently using 3 bytes of disk space Image: Section	Image: Section Concertion Configure two Freductions to the Internet Configure two Freductions Chined Web Content Operative automatics code management Dentities to content and User Data Toor application code: is contently quing 15 types of data types Other Web Content and User Data Toor supplication code: is contently quing 15 types of data types Dentities website aaks to toore data for offline uas Dentities are allowed to store data for offline uas Dentities are allowed to store data for offline uas Dentities are allowed to store data for offline uas	General Data Choice Network Update Centificates Connection Connection Condex Web Content Settings. Cached Web Content Generation You we be content cache is unrently using 14 MB of disk space Generation Officer Web Content Generation Umm cache is 005 mm M0 of paper Generation Officer Web Content and here Data Your splication cache is unrently using 0 bytes of disk space Wig 1 mm when a webuitte aix to store data for officer use Exceptions		0 0 9 10 10	100 🔒	Q	0			
Correction Configure New Farlow connects to the Internet:	Consider the function Settings Consider the function Settings Consider the function Dear New Dearning extremest and ther Data Dearning extremest and ther Data Toor application codes is consently using 1.5 Miles of disk space. Dear New Difference Web Content and User Data Toor application codes is consently using 0.5 Miles of disk space. Dear New Difference Web Content and User Data Toor application codes is consently using 0.5 Miles of disk space. Dear New Difference Web Content and User Data Toor application codes is consently using 0.5 Miles of disk space. Dear New Difference Web Content and User Data Toor application codes is consently using 0.5 Miles of disk space. Dear New Difference Web Content and User Data Door application codes is consently using 0.5 Miles of disk space. Dear New Difference Web Content and User Data Door application codes is consently using 0.5 Miles of disk space. Dear New Web Content and User Data Door application codes is consently using 0.5 Miles of disk space. Dear New Dear New Better Data Better Data Better Data Dear New	Convection Settings. Cached We Context to the Interner Settings. Cached We Context the Interner Dear Now Opendie automatic cache minagement. Dear Now Demote automatic automatic automatic automatic more than averbite auto to thine use Dear Now Demote automatic more automatic to store data for offline use Demote automatic more automatic auto	Connection Settings Configure how Firefax connects to the Internet Settings Cached Web Content Other Mole of disk space Image: Setting Seti		General Tabs Search Content Applicatio	ns Privacy Security	Sync	Advanced			
Configure how Frefex convects to the Interner:	Configure how frefero connects to the Internet: Setting: Cached Web Content Deer Meer Development Deer Meer Development Deer Meer Diffice Web Content and User Data Deer Meer Office Web Content and User Data Deer Meer Torr application sche is currently using 0 bytes of disk space Deer Meer Diffice Web Content and User Data Deer Meer Torr application sche is currently using 0 bytes of disk space Deer Meer Diffice Web Content and User Data Deer Meer Torr application sche is currently using 0 bytes of disk space Deer Meer Diffice Web Content and User Data Deer Meer Torr application sche is currently using 0 bytes of disk space Deer Meer Diffice Web Content and User Data Deer Meer Torr application sche as webbite ask to store data for offline use Deer Meer Deer Meer Deer Meer Deer Meer Deer Meer Deer Meer Deer Meer	Configure how Frefox connects to the Internet Settings.	Configure how Firefox connects to the Internet Settings Cached Web Content User Souther Cache Is contently using 14 MB of disk space User More web content cache Is contently using 14 MB of disk space User More web content and User Data Your supplication cache is contently using 0 bytes of disk space Offline Web Content and User Data Your supplication cache is contently using 0 bytes of disk space Diffline web content as website asks to store data for offline use The following websites are allowed to store data for offline use		General Data Choices Network Update Certificates						
Cached Web Content Your web content cache is currently using 14 MB of disk space Dent does to advocatic cache management Unit cache to 300 [®] MB of space Office Web Content due Data Your application cache is currently using 0 bytes of disk space M Efit me when a website as to store data for offline use The following websites are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed to store data for offline use M Efit me when a website are allowed	Cached Web Content Your web content cache is carently using 14 MB of disk space Dent doub to 3000 MB of option Office Web Content and Ver Data Your application cache is currently using 0 bytes of disk space Office Web Content and Ver Data Your application cache is currently using 0 bytes of disk space Office Web Content and Ver Data Your application cache is currently using 0 bytes of disk space Office Web Content and Ver Data Web content and Ver Data Web generation cache is currently using 0 bytes of disk space Office Web Content Tell me thema avebilite aits to store data for offline us Important Important <	Cached Web Content Vour web content cache is currently using 1.4 MB of diak space Denrife automatic cache management Denrife automatic cache management Denrife Web Content dubre Data Vour application cache is currently using D bytes of diak space Denrife Web Content and Uhre Data Vour application cache is currently using D bytes of diak space Denrife Web Content and Uhre Data We find methods are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for diffice use The following websites are allowed to store data for offline use The following websites are allowed to store data for offline use The following websites are allowed to store data for diffice use The following websites are allowed to store data for diffice use The following websites are allowed to store data for diffice use The following websites are allowebsites are allowebsites are allowebsites are all	Cathed Web Content Your web content cache is currently using 1.4 MB of disk space One Now Operative automatic cache management Jumit cache to 300 SM MB of space Office Web Content automatic cache management Your application cache is currently using 0 bytes of disk space One Cash Now SM Juli me when a webbite ask to done data for offline use Exceptions The following websites are allowed to store data for offline use								
Your web content cache is currently using 1.4 MB of disk space Cener New Cener is automatic cache masquement Imm cache is Cache masquement Tim cache is 100 ²⁵ MB of space Cener Maw Office Web Content and Uher Data Control (Cener Maw) Your application cache is currently using 0 bytes of disk space Cener Maw If ell me whom a website axis to store data for offline use Enceptions The following websites are allowed to store data for offline use Enceptions	Your web content cache is currently using 1.4 MB of disk space Cent Now Chine backward: cache masquement Chine backward: cache masquement Chine Web Content and User Data Chine backward: cache masquement Other Web Content and User Data Chine backward: Cache masquement Tore application cache is currently using 0 bytes of disk space Chine backward: Cache masquement Tore application cache is currently using 0 bytes of disk space Chine backward: Cache masquement The following websites are allowed to store data for offline use Emergences The following websites are allowed to store data for offline use Emergences Develoadst Cent Cancer Intervences	Your web content cache is currently using 1.4 MB of disk space Dear if how Demice automatic cache management Demice automatic cache management Demic cache to: 300% Office Web Content and User Diat Totak space Voor application cache is currently using 0 bytes of disk space Dear Barry Ba	Your web content cache is currently using 14 MB of disk space Ones Now Dennish automatic cache management. Jimit cache no Jimit cache no 300 St MB of space Officer Web Content automatic cache management. MB of disk space Officer Web Content automatic cache management. MB of disk space Officer Web Content automatic cache management. Cash Space Officer Web Content automatic cache management. Cash Space Officer Web Content automatic cache management. Cash Space Difficer web cache at a cache thy using 0 bytes of disk space Cash Space Difficer web cache a webbites are allowed to store data for offline use Exceptions				Seton	gt			
Ormide automatic cache mesagement Jimit and the Data Tori spliciation cache is unmitty will of space. Office Web Costient and Uber Data Tori spliciation cache is unmitty will gibtles of disk space. Office Web Costient and Uber Data Tori spliciation cache is unmitty will gibtles of disk space. Data and the Data Tori spliciation cache is unmitty will be also to store data for offline use The following websites are allowed to store data for offline use Jimit and the Data Tori spliciation cache is unmitty will be also be al	Override automatic cache management Imit cache management Imit cache b 30% Mil of space Other Web Costent and Uber Dat Torr application coche is camethy using 0 types of disk space Other Web Costent and Uber Dat Other State Costent and Other State	Control to automatic cache minagement Imit cache to 300 Mill of traiso Million Web Content and Uber Data Torr application caches is control units (Dytes of disk space Million Web Content and Uber Data for offline use Million Mill	☑ Dveride automatic cacke management. Ipmin cache to 100 Stress Offline Web Content and User Data Your application scale to is commity using 0 bytes of disk space Onar Spox If in me when a verbaine axis to store data for offline use Exceptions The following websites are allowed to store data for offline use Exceptions			lisk space	Clear	Now			
Office Web Content and User Data Over gion Your application cache is currently using 0 bytes of disk space Over gion If in m when a website ask to store data for offline use Descriptions The following websites are allowed to store data for offline use Immone	Other Web Content and User Data Your application cache is currently using 8 bytes of disk space If the whom a velocitie aits to store data for offline use The following website are allowed to store data for offline use Image: Second Seco	Offline Web Content and User Data Osar (grow Your application cache is currently using D bytes of disk space Osar (grow If the number averbide axis to store data for offline use Desptore. The following websites are allowed to store data for offline use Demons.	Offline Web Content and User Data Your application cache is currently using 0 bytes of disk space Offline Web Content and User Data Orean Spore If in me when a webbite axis to store data for offline use Exceptions The following websites are allowed to store data for offline use Exceptions					555554			
Your application cache is currently using 0 bytes of disk space. Care types Care ty	Your application cache is currently using 0 bytes of disk space. Char types If the number as website asks to other data for offline use Exceptions. The following websites are allowed to store data for offline use Exceptions. Downloads Oct. Cancer. Interpret	Your application cache is carrently using 0 bytes of disk space Orac Book Terring websites are allowed to store data for offline use Descriptions. Descriptions Descriptions	Your application cache is currently using 0 bytes of disk space Case Now		Limit cache to 350 🐐 Mill of space						
In the when a website aits to store data for offline use Derestions. Bernow. Welcase Session	Image: Control of the set of the	Exceptions Exceptions Exceptions Exceptions	Zeri finite when a website axis to store data for offline use Exceptions The following websites are allowed to store data for offline use				Cart				
Bernove.	Downloads	Bernove.	The following websites are allowed to store data for offline use								
V Perious Session	Downloads OK Cancer Istrip	Verticus Session									
V Perious Session	Downloads OK Cancer Istrip	Verticus Session									
V Perious Session	Downloads OK Cancer Istrip	Verticus Session					- Serie				
DV Canad Mate	Downloads OK Cancer Belp	OF Cancel Mate		-							
Downloads	Downloads	Downloads	CV Cancel Male	+		04 644		Mate	revious Session		
	Firefox automatically sends some data to Mozilla so that we can improve your experience. Choose What I Share K		Downloads	Downloads		Loten I Lotens	Margin Talan	New .			

Step	Action
3.	Click the Advanced button.
	Advanced



Step	Action
4.	Click the Network tab.
	Network

Options Implications Options Implications Implications <th colspa<="" th=""><th>O Finder Search or enter address</th><th></th><th></th><th>0 9.50</th><th>arch</th><th></th><th>\$</th><th></th><th>1 11</th><th>=</th></th>	<th>O Finder Search or enter address</th> <th></th> <th></th> <th>0 9.50</th> <th>arch</th> <th></th> <th>\$</th> <th></th> <th>1 11</th> <th>=</th>	O Finder Search or enter address			0 9.50	arch		\$		1 11	=
General The Seart Content Application Final of Second									mo	zilla	
Ceneral Tan Sear Conter Application Fire or Security		Optic	ins			×	n i				
Image: Section		0 0 9 🕫 🔮	100	A Security	Q	() Advanced					
Configure how Firefox consects to the Internet Series Cached Web Context General Web Context Upervise automatic acche masquenti General Web Upervise automatic acche masquenti General Web Upervise automatic acche masquenti General Web Upervise automatic acche masquenti General Beer Upervise automatic acche masquenti Bernore. Upervise automatic acche masquenti Bernore. Bernore. Bernore. Devendoatt Ceneral Beer Oct Bernore.						-					
• Our reducement cache is carrently using 14 Mill of disk space • Our reducement is and the full as transmoment · Our registration space is carrently using 0 bytes of disk space • Other Weak Content and Subce Dial Vor application space is carrently using 0 bytes of disk space • Other Head out the full as the base at the other disk for diffice use • Other Head out the full as real-based to store data for offline use • Enforcement • Enforcement • Enforcement • Other Head out the full as real-based to store data for offline use • Enforcement • Enforcement • Other Head out the full as real-based to store data for offline use • Enforcement					Sen	ingi					
Opendig automatic cache management Jumit cache to 300 [®] Mile of traiser Office docted and User Data Tore application cache is contrely using 0 types of disk space Out makes Ø Tile me when a website task to store data for offline use The following websites are allowed to store data for offline use Bemox. Downloadst		Provide and the second s									
Offline Web Content and User Data Your application cache is currently using 0 bytes of disk space If immediate and the web in a webline asks to three data for offline use If immediate are allowed to store data for offline use If immediate are allowed to store data for offline use If immediate are allowed to store data for offline use If immediate are allowed to store data for offline use If immediate are allowed to store data for offline use		Qverride automatic cache management	of disk space		Qea	r Now					
Image: Solution of the set of th		Offline Web Content and User Data									
Downloads											
Download: OK Cancel Brip											
Download: OK Cancel Effic					. Ser	048					
Download: OK Cancel Effic											
Frefox automatically sends once data to Monilla to that we can improve your emerience Choose What I Okaw X	Downloads		ОК	Cancel		tielp.	Trevious Ses	sion			
	Firefox automatically sends some da	a to Mozilla so that we can improve your experience.						Choose V	Vhat I Sh		



Step	Action
5.	Note: The Cached Web Content section will tell you how much disk space you are using.


	Options Image: Security Secur	Options Image: Security Secur	Options Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotents Image: Control of the lotent data for offline us: Image: Control of the lotent data for offline us: Image: Control of the lotent data for offline us: Image: Control of the lotent data for offline us: Image: Control of the lotent data for offline us: Image: Control of the lotent data for offline us: Image: Control of the lotent data for offline us: <td< th=""><th>🚳 Mozilla Firefox Start Page 🛛 🕷</th><th>\+</th><th></th><th></th><th></th><th>- 6 ×</th></td<>	🚳 Mozilla Firefox Start Page 🛛 🕷	\+				- 6 ×
Options Options General Tab Choice Applications Wave Security Spice Applications Conflict Table Security Spice Spice Applications	Options State Ceneral Table Society Applications Now yoo Security Spec Applications Ceneral Table Society March Opdate Centificates Now yoo Security Spec Applications Contraction Contraction Security Spec Applications Now yoo Security Spec Applications Contraction Contraction Special Society Special Society <td< td=""><td>Options State Ceneral Table Society Applications Now yoo Security Spec Applications Ceneral Table Society March Opdate Centificates Now yoo Security Spec Applications Contraction Contraction Security Spec Applications Now yoo Security Spec Applications Contraction Contraction Special Society <td< td=""><td>Options State Central Table and the folder Central Table and the folder Central Table and the folder Contral who forfacts Central Contral who forfacts Central who forfacts Co</td><td>🔄 😡 Findur - Search or unter altitres</td><td></td><td>≂ C" Q, 50</td><td>arch</td><td>☆ 白</td><td>\$ n ≡</td></td<></td></td<>	Options State Ceneral Table Society Applications Now yoo Security Spec Applications Ceneral Table Society March Opdate Centificates Now yoo Security Spec Applications Contraction Contraction Security Spec Applications Now yoo Security Spec Applications Contraction Contraction Special Society Special Society <td< td=""><td>Options State Central Table and the folder Central Table and the folder Central Table and the folder Contral who forfacts Central Contral who forfacts Central who forfacts Co</td><td>🔄 😡 Findur - Search or unter altitres</td><td></td><td>≂ C" Q, 50</td><td>arch</td><td>☆ 白</td><td>\$ n ≡</td></td<>	Options State Central Table and the folder Central Table and the folder Central Table and the folder Contral who forfacts Central Contral who forfacts Central who forfacts Co	🔄 😡 Findur - Search or unter altitres		≂ C" Q, 50	arch	☆ 白	\$ n ≡
General Tata Samo Content Applications Privacy Security Spr. Spr. Advanced General Tata Samo Content Applications Privacy Security Spr. Spr. Advanced General Tata Colories Methods Update Certificates Security Spr. Spr. Advanced Contention Security Spr. Security Spr. Security Spr. Advanced Contention Security Spr. Security Spr. Security Spr. Advanced Update Advantation Contents to the Internet Security Spr. Security Spr. Security Spr. Advanced Update Advantation Content Content Content Advantation Content Spr. Security Spr. Security Spr. Security Spr. Advanced Update Advantation Content and Update Data Spr. Other Bernet Security Spr. Clear Bernet Security Spr. Update Advantation Content and Update Data Spr. Clear Bernet Security Spr. Security Spr. Security Spr. Security Spr. Update Content Content Advantation Content Spr. Spr. Clear Bernet Security Spr. Security Spr. Security Spr. Update Content Content Spr. Security Spr. Security Spr. Security Spr. Security Spr. Security Spr.	General Tab Same Content Aggitations Finany Security	General Tab Same Content Aggitations Finany Security	General Tata Same Control Applications Neway Security Syste Applications General Tata Same Control Applications Neway Security Syste Applications General Tata Same Control Security Syste Applications Applications General Tata Societing Security Sec						mozilla
General Tais Saam Contre Applications Privaty Security Size Advanced General Tais Saam Contre Applications Privaty Security Size Advanced Contraction Contractions Contraction Security Handon Office Web Content Security Handon The Information Security Handon The Information Security Handon The Information Security Handon Contraction Security Handon The Informatin All Derore Security Handon <td>General Tais Sama Content Aglications Invex Security Syc Advanced General Data Choices Intervers Security Security Syc Advanced Contention Contentions Security Security Syc Advanced Control on Feelow connects to the Intervers Security Securit</td> <td>General Tais Sama Content Aglications Invex Security Syc Advanced General Data Choices Intervers Security Security Syc Advanced Contention Contentions Security Security Syc Advanced Control on Feelow connects to the Intervers Security Securit</td> <td>General Tais Sami Cotter Aglications Priva Security Syc Advanced General Tais Sami Cotter Aglications Private Security Syc Advanced Connection Configure how feelow connects to the latenset Security Secure Security Security Security Security Security Security Security</td> <td></td> <td>Options</td> <td></td> <td>×</td> <td></td> <td></td>	General Tais Sama Content Aglications Invex Security Syc Advanced General Data Choices Intervers Security Security Syc Advanced Contention Contentions Security Security Syc Advanced Control on Feelow connects to the Intervers Security Securit	General Tais Sama Content Aglications Invex Security Syc Advanced General Data Choices Intervers Security Security Syc Advanced Contention Contentions Security Security Syc Advanced Control on Feelow connects to the Intervers Security Securit	General Tais Sami Cotter Aglications Priva Security Syc Advanced General Tais Sami Cotter Aglications Private Security Syc Advanced Connection Configure how feelow connects to the latenset Security Secure Security Security Security Security Security Security Security		Options		×		
Concercion Concercion Serings Conduct Methods to the Internet Serings Conduct Methods to the Internet Serings Tour web content cache is currently using 14 MB of disk space Out Plant New Ornif web Content Serings Tour web content cache is currently using 14 MB of disk space Out Plant New Other Web Content Serings Unite view Content cache is currently using 0 bytes of disk space Out Plant New The Introving websites are allowed to store disk for offline use Bergstons. The Introving websites are allowed to store disk for offline use Bergstons. Expendedst Oct Bergstons.	Concersion Configure Methods (bigdate) Centificates Configure how Finders connects to the Internet: Settings Configure how Finders connects on the Internet: Settings Configure how Finders and Store data for offlies use Bergetons The Introving websites are allowed to store data for offlies use Bergetons Entroving websites are allowed to store data for offlies use Bergetons	Concersion Configure Methods (bigdate) Centificates Configure how Finders connects to the Internet: Settings Configure how Finders connects on the Internet: Settings Configure how Finders and Store data for offlies use Bergetons The Introving websites are allowed to store data for offlies use Bergetons Entroving websites are allowed to store data for offlies use Bergetons	Generation North-out Opdates Central cases Configure New Trefore connects to the Internet: Settings Settings Configure New Trefore connects to the Internet: Settings Settings Toor web content cache is corrently using 14 MB of data space Settings Settings Unite web content cache is corrently using 14 MB of data space Settings Settings Unite web content cache is corrently using 0 bytes of dis space Settings Settings Vior application cache is corrently using 0 bytes of dis space Beneficients Beneficients Vior application cache is corrently using 0 bytes of dis space Beneficients Beneficients With the Introving websites are allowed to store data for offline use Beneficients Beneficients Developert OK Cencett Beneficients Vervious Session		🛯 📩 🔍 🖏 📓	100 🔒	00		
Connection Settings Condex the Feelex connects to the Internet Settings Cacked Web Content Quentify automatic cacke management	Convertion Settings Cached Web Content Settings Out web content cache is currently using 14 MB of disk space Out web content cache is currently using 14 MB of disk space Out web content cache is currently using 14 MB of disk space Out web content cache is currently using 14 MB of disk space Unit cache is in currently using 14 MB of disk space Out application cache is currently using 10 bytes of disk space With or application cache is currently using 10 bytes of disk space Care grow Mit me when a website axis to store data for offline use Exceptions In following websites are allowed to store data for offline use Exceptions Mit me when a website axis to store data for offline use Exceptions	Convertion Settings Cached Web Content Settings Out web content cache is currently using 14 MB of disk space Out web content cache is currently using 14 MB of disk space Out web content cache is currently using 14 MB of disk space Out web content cache is currently using 14 MB of disk space Unit cache is in currently using 14 MB of disk space Out application cache is currently using 10 bytes of disk space With or application cache is currently using 10 bytes of disk space Care grow Mit me when a website axis to store data for offline use Exceptions In following websites are allowed to store data for offline use Exceptions Mit me when a website axis to store data for offline use Exceptions	Convertion Settings Convertion Settings Convertion Settings Convertion Out web context cache is currently using 14 MB of disk space Out web context cache is currently using 14 MB of disk space Devende automatic cache anangement Imm cache is Context and User Data Out or aptication cache is currently using 14 MB of disk space Cacer Book Other web context and User Data Optimizer of disk space Cacer Book The following websites are allowed to store data for offline case If the number a website axis to store data for offline case Emmone Emmone Environment		General Tabs Search Content Applications	Privacy Security	Sync Advanced		
Configure how firefax connects to the Internet Cached Web Contern Cached Web Contern Cached Web Contern Cached Web Contern Cached Second Secon	Configure how firefox connects to the Internet: Cached Web Content Cached Cached Cached Cached Cached Cached Cached Cached Cached Cached Cached Ca	Configure how firefox connects to the Internet: Cached Web Content Cached Cached Cached Cached Cached Cached Cached Cached Cached Cached Cached Ca	Configure how fixefox connects to the Internet Cached Web Content Cached Web Content Cached Web Content Cached Web Content Cached State Cached Web Content Cached State Cached Ca		General Data Choices Network Update Certificates				
Cached Web Content Wour web content cache is currently using 1A MB of diak space I min cache to 2003 M of of optics of diak space Officer Web Content and UHC Data Two splication cache is currently using 0 bytes of diak space I for whet content is currently using 0 bytes of diak space I for mether a website asks to store data for offline use I for mether asks to store data for offline	Cached Web Content Work web content cache is camazagement Unit cache is 200% Mill of data space Officer web Content cache management Unit cache is 200% Mill of data space Officer web Content cache in corrently using 0 bytes of data space Officer web Content and Unit Data You speciation cache is corrently using 0 bytes of data space Ø jeff me when a website sala to other data for officer use In the informing websites are allowed to store data for officer use Emergence Or. Cacer Unit Session	Cached Web Content Work web content cache is camazagement Unit cache is 200% Mill of data space Officer web Content cache management Unit cache is 200% Mill of data space Officer web Content cache in corrently using 0 bytes of data space Officer web Content and Unit Data You speciation cache is corrently using 0 bytes of data space Ø jeff me when a website sala to other data for officer use In the informing websites are allowed to store data for officer use Emergence Or. Cacer Unit Session	Cached Web Content Wour web content cache is currently using 14 MB of disk space Description automatic cache management Description cache is currently using 0 types of disk space Officer Web Content and UHC Data Two spatication cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatication cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatication cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatications cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatications cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatications cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatications cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatications cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatications cache is currently using 0 types of disk space Difficer Web Content and UHC Data Two spatications cache is currently using 0 types of disk space Difficer Web Content and UHC Data Difficer And Data D						
Your web content cache is currently using 1A MB of diak space Our How Umit cache is currently using 1A MB of diak space Our How Umit cache is currently using 1 A MB of diak space Our How Office Web Content and Uher Data Our diak space Our How Vou application cache is currently using 0 bytes of diak space Our How Our How Ø Jell me when a website six to store data for offline use Bernown Bernown Downloadst Oc Cancet Berlow	Vour web content cache is carently using 14 MB of data space Cere Nore Unit cache is carently using 14 MB of data space Cere Nore Unit cache is 0.000 MB of types of Unit cache is corrently using 04 types of data space Cere Types Office Web Content and Wer Data Content and Space Cere Types Wow applications cache is corrently using 0 types of data space Cere Types Cere Types Develoants OK Cancer Tervious Session	Vour web content cache is carently using 14 MB of data space Cere Nore Unit cache is carently using 14 MB of data space Cere Nore Unit cache is 0.000 MB of types of Unit cache is corrently using 04 types of data space Cere Types Office Web Content and Wer Data Content and Space Cere Types Wow applications cache is corrently using 0 types of data space Cere Types Cere Types Develoants OK Cancer Tervious Session	Your web content cache is currently using 14 MB of disk space Our How Umit cache is currently using 14 MB of disk space Our How Umit cache is 0.000 MB of the output Output Vou application cache is currently using 0 bytes of disk space Our gene Office Web Content and Uwe Data Output Vou application cache is currently using 0 bytes of disk space Our gene Ø jet in en when a weboite six to store data for offline use Genetypes Bernown Bernown Oct. Cancet Unit subsciele Bernown		Configure how Firefox connects to the Internet		Settings		
Or develop automatic cache sanagament Imit cache i 300 % Mil of cacee Office Web Content and Nor Data Office Web Content and Nor Data Office web contents with 00 bytes of dis space Or application cache i cannedly using 0 bytes of dis space Or generation and the cannedly using 0 bytes of dis space Development Or content bytes Vervious Session Vervious Session	Or more automatic cache wanagement Imit cache is 300 % Mill of taxes Office Web Context and Uwr Data Provide and the context and Uwr Data Office Web Context and Uwr Data Office Web Context and Uwr Data Office Web Context and Uwr Data Provide and the context and Uwr Data Office Web Context and Uwr Data Provide and the context and	Or more automatic cache wanagement Imit cache is 300 % Mill of taxes Office Web Context and Uwr Data Provide and the context and Uwr Data Office Web Context and Uwr Data Office Web Context and Uwr Data Office Web Context and Uwr Data Provide and the context and Uwr Data Office Web Context and Uwr Data Provide and the context and	Or develop automatic cache sanagement Imit cache is 305 % Mil of cace Office Web Context and Uber Data Office Web Context and Uber Data Office Web Context and Uber Data Office web context and to store data for office use Development Development Or Cancet Bereform. Vervious Session				Course of Course		
Immin cache to 100 \$\frac{2}{3}\$ MB of space Office Web Content and Uher Data Toor application cache is currently using 0 bytes of disk space If if me when a weble asks to accord ata for offline use If if me when a webles are allowed to store data for offline use If we when a webles are allowed to store data for offline use If we when a webles are allowed to store data for offline use If we when a webles are allowed to store data for offline use If we when a webles are allowed to store data for offline use If we when a weble Oct Cancer If we when a weble	Joint cache to 300 % M8 of space Office Web Content and Uher Data Tour application cache is currently using 0 bytes of dist space. Ø) Joint make weblic asks to bot data for office use Benote. Benote. Downloads	Joint cache to 300 % M8 of space Office Web Content and Uher Data Tour application cache is currently using 0 bytes of dist space. Ø) Joint make weblic asks to bot data for office use Benote. Benote. Downloads	Immit cache to 100 % MB of space Office Web Content and Uher Data Tour application cache is currently using 0 bytes of dist space Immit cache to 100 % Dytes of dist space			ipace.	Please Lana		
Toor application cache is currently using 0 bytes of disk space Care Biow If the me when a website ask to store disk for offline use Bensoe Downloadst Oc Cancel Bensoe	Voor application cache is currently using 0 bytes of disk space. Caracity Book If If me when a website aits to store data for offline use Bensphines. Develoadst Bensphines.	Voor application cache is currently using 0 bytes of disk space. Caracity Book If If me when a website aits to store data for offline use Bensphines. Develoadst Bensphines.	Voor application sache is currently using 0 bytes of dis space Cara dis use Cara dis use Image: State of the state of th						
If it me when a website aik to store data for offline use Egreptions. The following websites are allowed to store data for offline use Birmone. Downloads OK Cancel	Ereptions Ereptions Ereptions Ereptions Ereptions Ereptions Ereptions Ereptions	Ereptions Ereptions Ereptions Ereptions Ereptions Ereptions Ereptions Ereptions	Image: Second and the second and the second and the offline use Exceptions Image: Second and the second and the second and the offline use Image: Second and the second		Offline Web Content and User Data				
The following websites are allowed to store data for offline use Bernove Previous Session Vervious Session	Downloads	Downloads	The following websites are allowed to store data for offline use Bernove Downloads Cancer 1990 Yevious Session						
Downloads Downloads OK Cencel 1919 Versions Session	Downloads OK Cancel 1949	Downloads OK Cancel 1949	Downloads OK Cancel Inte				Exceptions		
Deventours OK Cancer Brig Vervicus Session	Downloads OK Cancel 1990 Vervious Session	Downloads OK Cancel 1990 Vervious Session	Downloads OK Cencel 1990 Vervious Session						
Downloads OK Cancer Brip Vevicus Session	Develoars OK Cancel tere Vervious Session	Develoars OK Cancel tere Vervious Session	Deventoaris Devent						
Downloads OK Cancel Belp	Downloads OK Cancel Birlp	Downloads OK Cancel Birlp	Downloads OK Cancel Belp		L		Berrove		
Downloads OK Cancel Billip	Downloads OK Cancel Birlp	Downloads OK Cancel Birlp	Downloads OK Gancel Belp	1				andaria Facilian	
Firefox automatically sends some data to Mozilla so that we can improve your experience. Discose What I Share X	Firefox automatically sends some data to Mopilia so that we can improve your experience. Quoose What I Share x	Prefor automatically sends some data to Mopifia so that we can improve your experience. Discose What I Share is	Frefox extomatically sends some data to Mozilla so that we can improve your experience. Choose What I Share x	Downloads		OK Cancel	15elp	revious session	
Firefox automatically sends some data to Mozilla so that we can improve your experience. Decore What I Share X	Frefox automatically sends some data to Mopilia so that we can improve your experience. Doose What I Share x	Frefox automatically sends some data to Mopilia so that we can improve your experience. Disose What I Share a	Frefor automatically sends some data to Mozilla so that we can improve your experience. Decode What I Share: X						
				Firefox automatically sends some dial	ata to Mozilla so that we can improve your experience.			Choose	What I Share X

Step	Action
6.	Click the Clear Now button.
	<u>C</u> lear Now



	Options Connexil Tata Search Content Agglications Physics Security Syste Connexil
Options Options Out of the content Options Options	Options Concerts
Image: Section Consection Configure two Fredor connects to the Internet Cached Web Content Cached Web Content Cached Web Content Demoide extornatic cache management Demoide extornatic cache management Dimit Web Content and Uber Data Totor splication context is ournethy using 0 bytes of disk space Office Web Content and Uber Data Totor splication context is ournethy using 0 bytes of disk space Opender extornatic cache management Dimit Web Content and Uber Data Totor splication context is ournethy using 0 bytes of disk space Opender extornatic cache management and to tache data for offline use Demoide extornation and uber Data Totor splication context is ournethy using 0 bytes of disk space Opender extornation and buse tacks for offline use Demoide	General Data Choices Network Update Centificates Connection
Cached Web Contest Vour web content cache is currently using 0 bytes of disk space Dear Moor	Complete now Pretox Comercia to be internet
Offline Web Content and User Data Your application cache is currently using 0 bytes of disk space Clear grow If in me when a website aits to store data for offline use Receptors. The following websites are allowed to store data for offline use Immon.	Your web content cache is currently using 0 bytes of disk space
V Proven using Terrious Session	Offline Web Content and User Data Your application cache is currently using 0 bytes of disk space Clear (gow D Leil me when a website asis to store data for offline use Exceptions
DV Canad Mala	
	Of Canad Mala

Step	Action
7.	The Cached Web Content section is updated to 0 bytes used.





Step	Action
8.	In this topic you have learned the following:
	- How to clear the browser cache for Mozilla Firefox End of Procedure.